

Merit

Merit



*This certificate is granted and awarded by the authority of the Nadcap Management Council to:*

**NIAR**

*1845 Fairmount Street  
Wichita, KS 67260  
United States*

*This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in [www.eAuditNet.com](http://www.eAuditNet.com) on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:*

***Non Metallic Materials Testing***

Certificate Number: 9421237397

Expiration Date: 31 August 2027

Accreditation Length: 24 Months

A handwritten signature in black ink, appearing to read "Jay Solomon".

**Jay Solomon**

Executive Vice President & Chief Operating Officer

Merit

Merit

Performance Review Institute (PRI) | 161 Thorn Hill Road | Warrendale, PA 15086-7527

## SCOPE OF ACCREDITATION

### Non Metallic Materials Testing

**NIAR**  
1845 Fairmount Street  
Wichita, KS 67260

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: [www.eAuditNet.com](http://www.eAuditNet.com) - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

#### **AC7000 Rev A - AUDIT CRITERIA FOR NADCAP ACCREDITATION**

#### **AC7122/1 Rev C - Nadcap Audit Criteria for Non Metallic Materials Testing – Mechanical Testing (to be used on audits on/AFTER 29-Dec-2024)**

- 1.1.1 Tensile Ambient Temperature
- 1.1.2 Tensile Non-ambient Temperature
- 1.1.3 Tensile Strain Measurement
- 1.10.1 T-Peel
- 1.11.1 Peel (180°)
- 1.12.1 Climbing Drum Peel
- 1.13.1 Floating Roller Peel
- 1.17.1 Bearing Strength
- 1.18.1 G1c
- 1.2.1 Compression Ambient Temperature
- 1.2.2 Compression Non-ambient Temperature
- 1.2.3 Compression Strain Measurement
- 1.2.5 Flatwise Compressive, Ambient
- 1.20.1 Compression after Impact CAI
- 1.21.1 Flatwise tension Sandwich
- 1.22.1 Sandwich Flexure
- 1.23.1 Tube Shear
- 1.3.1 Shear Ambient Temperature by SBS
- 1.3.2 Shear Ambient Temperature  $\pm 45$  Tension
- 1.3.3 Shear Ambient Temperature by Compression
- 1.3.4 Shear Ambient Temperature by V Notch
- 1.3.5 Shear Non-ambient (any method)
- 1.3.6 Shear Strain Measurement
- 1.3.7 Plate Shear, Ambient
- 1.4.1 Flexural Ambient Temp

- 1.4.2 Flexural Non-ambient
- 1.4.3 Flexural Strain Measurement
- 1.8.1 Double Lap Shear – Ambient Temperature
- 1.9.1 Single Lap Shear – Ambient Temperature
- 1.9.2 Single Lap Shear – Non-ambient Temperature

**AC7122/5 - Nadcap Audit Criteria for Non Metallic Materials Testing – Flammability**

- 5.1.1 Vertical
- 5.2.1 Horizontal

**AC7122-I Rev F - Nadcap Audit Criteria for Non Metallic Materials Testing (Required) (to be used on audits on/AFTER 29-Dec-2024)**

- Class A: Composites
- Class B: Adhesive/Adhesive Primer